



Captan 4 Flowable

Seed Protectant

ACTIVE INGREDIENTS:

Captan (N-Trichloromethylthio-4-cyclohexene-1,2-dicarboximide)	37.64%
Related derivatives	0.86%
OTHER INGREDIENTS:	<u>61.50%</u>
TOTAL:	100.00%

This product contains 4.0 pounds captan per gallon.

KEEP OUT OF REACH OF CHILDREN DANGER / PELIGRO

Si usted no entiende la etiqueta, busque a alguien para que se la usted en detalle. (If you do not understand the label, find someone to explain it to you in detail).

See **FIRST AID** Below
SHAKE WELL BEFORE USING

EPA Reg. No. 19713-161

EPA Est. No. 19713-GA-1 Net Contents: _____

FIRST AID
<p>IF IN EYES:</p> <ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
<p>IF SWALLOWED:</p> <ul style="list-style-type: none"> Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious or convulsing person.
<p>IF INHALED:</p> <ul style="list-style-type: none"> Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.
<p>IF ON SKIN OR CLOTHING:</p> <ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. <p>Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information on this pesticide product (including health concerns, medical emergencies or pesticide incidents), call the National Pesticide Information Center at 1-800-858-7378.</p>
<p>Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.</p>

PRECAUTIONARY STATEMENTS (Con't.)

PERSONAL PROTECTIVE EQUIPMENT (PPE)
Some materials that are chemical resistant to this product are made of any waterproof material. If you want more options, follow the instructions for Category A on an EPA chemical resistant category selection chart.
Mixer, loaders, applicators, and other handlers including handlers participating in transplanting as part of root dip treatments must wear:

- Long-sleeved shirt and long pants
- Shoes plus socks
- Chemical-resistant gloves (except for applicators driving motorized equipment)
- Chemical-resistant apron when participating in dip treatment

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS
This pesticide is toxic to fish. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment waste waters. In the event that treated seeds are spilled and cannot be salvaged, completely cover them with soil.

PHYSICAL AND CHEMICAL HAZARDS
Do not use, pour, spill or store near heat or open flame.

GENERAL INFORMATION
CAPTAN 4 FLOWABLE SEED PROTECTANT is an aqueous suspension suitable for the treatment of seed prior to storage and planting; to protect seed from molds and other fungi causing storage loss; and to protect seed from seed-borne and soil-borne fungi which cause seed decay and seedling blight.

DIRECTIONS FOR USE
It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

APPLICATION RESTRICTIONS
Stir the recommended dosage of this product into the required amount of water for the slurry treater equipment to be used.
IMPORTANT: Treated seed must not be used for human consumption or as animal feed.

PRECAUTIONARY STATEMENTS
Hazards to Humans and Domestic Animals
DANGER: Causes irreversible eye damage. Harmful if swallowed or inhaled. May cause allergic skin reactions. Do not get in eyes. Wear goggles or face shield when handling. Avoid contact with skin and clothing. Remove and separately launder clothing before reuse.

Continued

Manufactured By:
Drexel Chemical Company
P.O. BOX 13327, MEMPHIS, TN 38113-0327
SINCE 1972

Seed that has been treated with this product that is then packaged and offered for sale or distribution must contain the following labeling: This bag contains seed treated with captan. To avoid possible adverse health effects, when opening this bag to load the treated seed, wear long-sleeved shirt, long pants, shoes plus socks, chemical-resistant gloves, NIOSH-approved dust-mist respirator (dust mist filtering respirator with MSHA/NIOSH approval number prefix TC-21C, or a NIOSH approved respirator with any N², R, P, or HE filter) and eye protection. Labels attached to treated bags of seed must state: "Treated seed - Do not use for food, feed, or oil purposes."

NOTE: Seed treated by the slurry method should not be stacked until such time as the seed has had an opportunity to dry. Store in well-ventilated areas. If seed is stacked when wet, heat is developed which impairs seed germination.

SEED TREATMENT DOSAGE RATES	fl. oz./100 lbs.
Alfalfa, Clover, Lespedeza, Trefoil	8.25
Beans (dry, snap)	2.5
Beets (garden)	12
Blue grass	8.25
Cantaloupe, Cucumber	3
Cereal grains - for Seed and Seedling rots, will NOT control Bunt or Smut.	
Barley, Rye	2.25
Oats	3.25
Wheat	1.75
Cole crops (Broccoli, Brussels sprouts, Cabbage, Cauliflower)	1.5
Corn	
Field corn	1.75
Sweet corn	3.5
Cotton	
Acid delinted cotton	3
Fuzzy cotton	4.5
Machine delinted	4.5
Cowpeas	2.5
Flax	3.5
Grasses	8.25
Milo	4
Onions (pelleting)	1.5 pts./lb.
Peanuts	6
Peas	2.5
Peppers (California wonder)	3
Sorghum (hulled) - for Kernel smut	4
Soybeans	2.5
Spinach	6
Squash, Pumpkin, Watermelon, Muskmelon	2
Sugar beets	
East	12
West	6
Swiss chard	12

GLADIOLA CORMS - For the prevention of Bulb rot use a mixture of 2.25 fl. ozs. in 1 gallon of water or 1.5 pts. in 10 gallons of water. Soak bulbs in this mixture for 20 to 30 minutes.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

STORAGE INSTRUCTIONS: Storage should be under lock and key and secure from access by unauthorized persons and children. Storage should be in a cool, dry area away from any heat or ignition source. Avoid storage at high temperatures. Do not stack over 2 pallets high. Move containers by handles or cases. Do not move containers from one area to another unless they are securely sealed. Keep container tightly sealed when not in use. Keep away from any puncture source. Avoid storage near water supplies, food, feed and fertilizer to avoid contamination. Avoid contamination with acids and alkalies. Store in original containers only. If the contents are leaking or material is spilled follow these steps:

1. Contain spill, absorb with a material such as sawdust, clay, granules or dirt.
2. Collect and place in suitable containers for disposal.
3. Wash area with soap and water to remove remaining pesticide.
4. Follow washing with clean water rinse.
5. Do not allow runoff to enter sewer or contaminate water supplies.
6. Place leaking containers in overpack drums.
7. Dispose of wastes as indicated below:

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, of the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by State and Local authorities, by burning. If burned, stay out of smoke.

WARRANTY—CONDITIONS OF SALE

OUR RECOMMENDATIONS FOR USE of this product are based upon tests believed reliable. Follow directions carefully. Timing and method of application, weather and crop conditions, mixtures with other chemicals not specifically recommended and other influencing factors in the use of this product are beyond the control of the Seller. Buyer assumes all risks of use, storage and handling of this material not in strict accordance with directions given herewith. In no case shall the Manufacturer or the Seller be liable for consequential, special or indirect damages resulting from the use or handling of this product when such use and/or handling is not in strict accordance with directions given herewith. The foregoing is a condition of sale by the Seller and is accepted as such by the Buyer.