



Drexel Chemical Company

FOR DISTRIBUTION AND USE ONLY IN THE STATE OF OREGON

DREXEL DIURON 80 HERBICIDE

EPA REG. NO. 18713-274

EPA SLN. NO. OR-89-0023

SUPPLEMENTAL LABELING

READ AND OBSERVE ALL DIRECTIONS, RESTRICTIONS AND PRECAUTIONS ON THE EPA REGISTERED LABEL.

THE LABEL MUST BE IN THE POSSESSION OF THE USER AT THE TIME OF APPLICATION

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

FOR CONTROL OF CERTAIN BROADLEAF WEEDS AND ANNUAL GRASSES IN PERENNIAL RYEGRASS, TALL FESCUE, KENTUCKY BLUEGRASS, AND FINE FESCUE GROWN FOR SEED.

GENERAL INFORMATION: Apply this product only to well established vigorous stands of grasses as directed below. Use sufficient water, a minimum of 25 gallons per acre, for thorough coverage of weed foliage. For best results, make application at the onset of fall rains and before weeds become established (typically October 1 through November 15). Weeds beyond the 2 to 4 leaf stage will usually not be controlled. Use higher rates within the range listed when treating larger weeds and heavier weed infestation. Weed control may be reduced where straw or ash residues have accumulated on the soil surface. Lack of moisture to activate the herbicide may reduce weed control. Tank mixtures or sequential treatment with other herbicides may reduce crop tolerance and increase risk of crop injury. When using this product in a tank mix or in a sequential treatment with other herbicides, do not use the maximum rates listed below unless compatibility and the potential for phytotoxicity have been evaluated. Crop tolerance may be reduced and the likelihood of crop injury may increase when crop is under stress caused by weather, diseases and insects. Do not apply this product through any type of irrigation system.

PERENNIAL RYEGRASS (Established): Apply 1 to 2 pounds per acre per season (October 1 through mid-January) to control seedling grasses and broadleaf weeds such as annual bluegrass and others named on the product label.

TALL FESCUE (Established): Apply 2 to 4 pounds per acre per season (October 1 through mid-January) to control seedling grasses and broadleaf weeds such as Rattail fescue and others named on the product label.

KENTUCKY BLUEGRASS (Established stands east of the Cascade Mountains): Apply 1-1/2 to 3 pounds per acre per season (October 1 through mid-January) for suppression of Rattail fescue and certain other seedling grasses and broadleaf weeds named on the product label. Downey brome is not controlled. Do not use on *Poa trivialis* grass seed varieties.

FINE FESCUE (Illakee, Rainier, Chewings and related varieties including Hard fescue (Established stands west of the Cascade Mountains): Apply 1 to 2 pounds per acre for suppression of Rattail fescue and certain other seedling grasses and broadleaf weeds named on the product label. Make only 1 application per year. Do not use this product more than two years in succession on the same field.

EPA SLN No. OR-89-0023

24(c) Registrant Drexel Chemical Company

P. O. Box 13327

Memphis, TN 38113-0327

1700 Channel Avenue • Post Office Box 13327 • Memphis, Tennessee 38113-0327

Phone: (901) 774-4370 • Fax: (901) 774-1686 • Telex: 080-3218 • Cable Address: Drexel Chem Mfg.

81001123