



**Green  
Cypress**

# Tree & Vine Mix



## GUARANTEED ANALYSIS

Sulfur (S) .....	2.25%
Boron (B) .....	0.50%
Copper (Cu) .....	0.20%
Iron (Fe) .....	1.50%
Manganese (Mn) .....	0.50%
Molybdenum (Mo) .....	0.05%
Zinc (Zn) .....	2.50%

Derived from copper sulfate, ferrous sulfate, manganese sulfate, sodium borate, sodium molybdate and zinc sulfate, complexed with lignosulfonate.

Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.regulatory-info-monterey.com>

**KEEP OUT OF REACH OF CHILDREN  
CAUTION: HARMFUL IF SWALLOWED**

## GENERAL INFORMATION

GREEN CYPRESS TREE & VINE MIX is recommended to prevent and correct micronutrient deficiencies of field, row, vegetable, fruit, tree, vine, ornamental and turf crops. GREEN CYPRESS TREE & VINE MIX alone, with pesticides, or with other fertilizers, may be applied directly to the soil or to the foliage of growing crops. GREEN CYPRESS TREE & VINE MIX may be applied via ground sprayers (high-volume or low-volume), aircraft or fertigation systems.

**WARNING:** Excessive use of boron (B), or use on crops other than those listed, may result in serious crop injury. Application of fertilizers containing molybdenum (Mo) may result in forage crops that contain levels of molybdenum that are toxic to ruminant animals. The proper use of soil and/or petiole test recommendations will minimize the risk of overapplication of boron and molybdenum.

## DIRECTIONS FOR USE

Soil applications of GREEN CYPRESS TREE & VINE MIX are recommended with nitrogen fertilizer solutions. Thorough coverage and wetting are needed for optimum foliar spray results. Actively growing plants with young leaves absorb foliarly applied GREEN CYPRESS TREE & VINE MIX most efficiently. Immediate post-irrigation or post-rainfall application give the best foliar uptake. Addition of urea (for example, 5 lbs. Lo-Bi Urea per 100 gallons of spray solution) will enhance foliar uptake of GREEN CYPRESS TREE & VINE MIX.

**COMPATIBILITY:** GREEN CYPRESS TREE & VINE MIX is compatible with most pesticides and fertilizers. However, if the desired combination has not been previously used, a compatibility test is recommended.

**MIXING:** Shake, stir, or swirl contents before using. Always add this product to the spray tank before adding pesticides.

## SOIL APPLICATIONS FOR ALL CROPS\*

Soil Fertility Maintenance .....	1-3 qts./acre
Mild Deficiency .....	2-6 qts./acre
Severe Deficiency .....	1-3 gals./acre

\*The lower rates are for field, row and vegetable crops. The higher rates are for fruit, tree, vine, ornamental and turf crops.

**Fertigation:** Apply the recommended amount of product in split applications one to two weeks apart throughout the growing season.

## FOLIAR APPLICATIONS FOR ALL CROPS:

Applications should be separated by a minimum of 7-14 days. **AVOID** foliar applications of this product when plants are under moisture stress. **AVOID** foliar applications to deciduous tree crops during bloom.

**Dilute Applications:** For rates higher than 2 quarts per acre, split applications of 2 quarts or less are preferred to minimize phytotoxicity.

**Concentrate Applications:** Use up to 2 quarts of GREEN CYPRESS TREE & VINE MIX in a minimum of 25 gallons of water per acre.

**Aerial Applications:** Up to 1 quart of GREEN CYPRESS TREE & VINE MIX per 5 gallons of spray may be used, but more dilute solutions will improve coverage and results.

## CONDITIONS OF SALE AND WARRANTY

Monterey AgResources (MAR) warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated when used in accordance with the use directions under normal conditions. MAR neither makes, nor authorizes any agent or representative to make, any other warranties, express or implied, including fitness or merchantability.

The directions for use of this product are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks inherently associated with use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as timing and method of application, weather and crop conditions, presence of other materials, or other influencing factors, all of which are beyond the control of MAR and Seller. Buyer and user acknowledge and assume all risks and liability resulting from the handling, storage and use of this material not in strict accordance with directions given herewith. In no case shall MAR or the Seller be liable for consequential, special, indirect, or incidental damages or losses resulting from the handling or use of this product. The foregoing is a condition of sale by MAR and is accepted as such by the Buyer.

LOT#

**NET CONTENTS: 5 GALLONS / 18.9 L**

Manufactured for:



P.O. Box 35000  
Fresno, CA 93745  
(559) 499-2100