



LIQUID FIELD CROP MIX

READ ENTIRE LABEL BEFORE USING THIS PRODUCT

GENERAL INFORMATION

LIQUID FIELD CROP MIX is especially recommended for field crops but may also be used on row, vegetable, fruit, tree, vine, ornamental and turf crops.

LIQUID FIELD CROP MIX, alone or with pesticides or fertilizers, may be applied directly to soil or to the foliage of growing crops.

LIQUID FIELD CROP MIX may be applied via ground sprayers (high-volume or low-volume), aircraft or drip irrigation systems.

DIRECTIONS FOR USE — GENERAL

Soil applications of LIQUID FIELD CROP MIX are recommended with nitrogen fertilizer solutions. Thorough coverage and wetting are needed for optimum foliar spray results. Actively growing plants with young leaves absorb foliarly applied LIQUID FIELD CROP MIX most efficiently. Immediate post-irrigation or post-rainfall applications give best foliar uptake. Addition of urea (for example, 5 lbs. Lo-Bi Urea per 100 gals. of spray solution) will enhance foliar uptake of LIQUID FIELD CROP MIX.

COMPATIBILITY: LIQUID FIELD CROP MIX is compatible with most pesticides and fertilizers. However, a compatibility test is recommended if the desired combination has not been used in the past.

MIXING: Always add this product to spray tank before adding pesticides.

WARNING: This product contains chemicals known to the State of California to cause cancer and birth defects and other reproductive harm.

GUARANTEED ANALYSIS

Sulfur (S)	3.0%
Iron (Fe)	1.0%
Manganese (Mn)	1.0%
Zinc (Zn)	4.0%

Derived from iron, manganese and zinc sulfates; and iron, manganese and zinc lignin sulfonates.

**KEEP OUT OF REACH OF CHILDREN
CAUTION: HARMFUL IF SWALLOWED**

CONDITIONS OF SALE AND WARRANTY

Monterey Chemical Company warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated when used in accordance with the use directions under normal conditions. Monterey Chemical Company neither makes, nor authorizes any agent or representative to make, any other warranties, express or implied, including fitness or merchantability.

The directions for use of this product are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks inherently associated with use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as timing and method of application, weather and crop conditions, presence of other materials, or other influencing factors, all of which are beyond the control of Monterey Chemical Company or the Seller. Buyer and user acknowledge and assume all risks and liability resulting from the handling, storage and use of this material not in strict accordance with directions given herewith. In no case shall Monterey Chemical Company or the Seller be liable for consequential, special, indirect, or incidental damages or losses resulting from the handling or use of this product. The foregoing is a condition of sale of Monterey Chemical Company and is accepted as such by the Buyer.

**Net Contents: 5 Gallons / 18.93 Liters
Weight Per Gallon: 10.2 Lbs. @ 68°F**

Manufactured For:
MONTEREY CHEMICAL COMPANY
P. O. Box 35000 • Fresno, CA 93745-5000 • (559) 499-2100

DIRECTIONS FOR USE — SPECIFIC

SHAKE, STIR OR SWIRL CONTENTS BEFORE USING

ALL CROPS:*

SOIL APPLICATIONS:

Soil Fertility Maintenance	1 - 3 qts./acre
Mild Deficiency	2 - 6 qts./acre
Severe Deficiency	1 - 3 gals./acre

*The lower rates are for field, row and vegetable crops. The higher rates are for fruit, tree, vine, ornamental and turf crops.

FOLIAR APPLICATIONS:

Apply 2 - 4 quarts/acre as needed on a 7 - 14 day schedule.

AVOID foliar applications of this product when plants are under moisture stress.

DILUTE APPLICATIONS: Apply the suggested dose of product in enough water for good coverage.

CONCENTRATE APPLICATIONS: Use up to 2 quarts of LIQUID FIELD CROP MIX in a minimum of 25 gallons of water.

AERIAL APPLICATIONS: Up to 1 quart of LIQUID FIELD CROP MIX per gallon of spray may be used, but more dilute solutions will improve coverage and results.

DRIP IRRIGATION APPLICATIONS: Apply the recommended amount of product in split applications 1 - 2 weeks apart throughout the growing season.

Lot #