

NOTE: This is a specimen label for electronic distribution. Refer to product label on container for specific directions for use.



ROCKET DL

d-Limonene Surfactant
SPREADER / ACTIVATOR / ENHANCER
For Terrestrial and Aquatic Use Sites

READ ENTIRE LABEL BEFORE USING THIS PRODUCT

ROCKET DL (d-limonene surfactant) is a low-foam, spreader / activator / enhancer formulated with a non-ionic citrus extract to enhance the efficacy of insecticides, herbicides, defoliants, desiccants, and fertilizers.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes eye irritation. Harmful if swallowed or absorbed through skin. Avoid contact with skin, eyes, or clothing. Avoid breathing spray mist. Wash thoroughly with soap and water after handling. In addition, follow precautionary statements on labels of the accompanying pesticide(s).

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

ENVIRONMENTAL HAZARDS

Do not contaminate water when disposing of equipment washwaters.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL.

STORAGE: Store in original container away from children, animals, foods, feeds and seeds. Handle in accordance with Precautionary Statements. In the event of spillage or leakage, soak up the material with absorbent clay, sand, sawdust or other absorbent material. Scrape up and dispose in accordance with Product Disposal.

PRODUCT DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

PRINCIPAL FUNCTIONING AGENTS:

Paraffinic hydrocarbons, d-Limonene,
Polyoxyethylene glycols, Isopropylamine
dodecylbenzene sulfonate, Ethylene glycol
monobutyl ether 100%

Calif. Reg. No. 17545-50019-ZA

KEEP OUT OF REACH OF CHILDREN CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Flush eyes with plenty of water. Call a physician if irritation persists.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation persists.

IF SWALLOWED: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger, or if available by administering syrup of ipecac. If person is unconscious, DO NOT give anything by mouth and do not induce vomiting.

IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

NET CONTENTS: 5 GALLONS / 18.9 LITERS

NET WEIGHT: 6.90 lbs./gal. at 68°F

Manufactured for:

MONTEREY CHEMICAL COMPANY

P.O. Box 35000 • Fresno, CA 93745-5000 • (559) 499-2100

DIRECTIONS FOR USE

Read and follow the precautions, restrictions and recommendations on the labels of pesticides used with ROCKET DL. Use according to the most restrictive label directions for each product in any tank mix.

MIXING: Shake well before using. Fill spray tank ½ full of water and begin agitation. Add products as directed by label or in the following sequence and continue filling tank: (1) Dry flowables or water dispersing granules, (2) Wetttable powders, (3) Flowables, (4) ROCKET DL, (5) Solutions, (6) Emulsifiable concentrates. Continue agitation until spray solution is completely mixed. Continuous agitation of finished spray is recommended. If spray solution has been allowed to stand, thoroughly agitate and remix before application.

RECOMMENDATIONS: Specific use rates will vary with conditions of application such as water hardness, application method, equipment, spray droplet size, conditions of foliage, etc. Rates of ROCKET DL higher than those below may be used if recommended by pesticide labeling. Follow pesticide label directions. However, do not add this product at a rate which exceeds 2% of the finished spray volume.

AIR or GROUND: Use 1-4 quarts per 100 gallons of finished spray solution. For improved efficacy, use at least 1 pint per acre when finished spray volume is less than 20 gallons per acre.

CONDITIONS OF SALE AND WARRANTY

Monterey Chemical Company warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated when used in accordance with the use directions under normal conditions. Monterey Chemical Company neither makes, nor authorizes any agent or representative to make, any other warranties, express or implied, including fitness or merchantability.

The directions for use of this product are believed to be reliable and should be followed carefully. However, it is impossible to eliminate all risks inherently associated with use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as timing and method of application, weather and crop conditions, presence of other materials, or other influencing factors, all of which are beyond the control of Monterey Chemical Company and Seller. Buyer and user acknowledge and assume all risks and liability resulting from the handling, storage and use of this material not in strict accordance with directions given herewith. In no case shall Monterey Chemical Company or the Seller be liable for consequential, special, indirect, or incidental damages or losses resulting from the handling or use of this product. The foregoing is a condition of sale by Monterey Chemical Company and is accepted as such by the Buyer.