



NET WEIGHT

22.68 KG/50 LBS.

CODE 615/G

IRON 22% + S

REGISTRATION NUMBER
FERTILIZERS ACT

NUMERO D'ENREGISTREMENT
LOI SUR LES ENGRAIS

GUARANTEED ANALYSIS

Iron (Fe) Actual 22.00%
Sulphur (S) Minimum 55.00%

Derived from Iron Oxide and Elemental Sulphur
CAUTION: this fertilizer contains Iron and should be used only as recommended.
It may prove harmful when misused. Applications of this product should be based on the results of soil and/or tissue analysis.

ANALYSE GARANTIE

Fer (Fe) Actual 22.00%
Soufre (S) Minimum 55.00%

CAUTION: cet engrais contient Fer et devrait être utilisé tel que recommandé. Il peut être nuisible lorsque mal employé. L'application de ce produit devrait être basée sur les résultats de la terre et/ou tissu analyse.

TO BE USED IN BLENDING FERTILIZER FOR SOIL APPLICATION

RISKS:
WARNING - POISON - May be fatal if swallowed.
Experimental/(suspected) carcinogen.

PRECAUTIONS:
Do NOT take internally. Avoid eye or skin contact. Do not breathe dust. Store in cool, dry, well ventilated area. Keep out of reach of children. Wash thoroughly after use. Use with adequate ventilation. This contain-er is hazardous when empty - all labelled precautions must be observed.

FIRST AID:
EYES: Flush thoroughly with water for at least 15 minutes if irritation persists consult physician.
SKIN: Wash skin with plenty of soap and water.
INHALATION: Remove source of contamination or move (victim) to fresh air. If breathing stopped, begin artificial respiration. If necessary give oxygen.
INGESTION: Drink 2 glasses of water (or milk).
Seek medical advice.
In all cases, summon medical aid IMMEDIATELY.

POUR EMPLOI EN MELANGE D'ENGRAIS POUR APPLICATION AU SOL.

RISQUES:
AVERTISSEMENT - POISON - L'ingestion peut entraîner la mort.
Risque d'irriter pour les yeux, la peau et les voies respiratoires.

PRECAUTIONS:
Ne pas ingérer. Éviter tout contact avec les yeux ou la peau. Ne pas respirer les poussières. Entreposer dans un endroit frais, sec et bien ventilé. Garder hors de la portée des enfants. Se laver soigneusement après toute utilisation. Utiliser avec une ventilation adéquate. Ce contenant est dangereux lorsqu'il est vide. Toutes les précautions mentionnées sur l'étiquette doivent être observées.

PREMIERS SECOURS:
LES YEUX: Laver soigneusement à grande eau pendant au moins 15 minutes. Si l'irritation persiste, consulter un médecin.
LA PEAU: Laver la peau avec beaucoup d'eau savonneuse.
INHALATION: Supprimer la source de contamination ou transporter (la victime) à l'air libre. En cas d'arrêt de la respiration pratiquer la respiration artificielle. Au besoin, donner l'oxygène.
INGESTION: Boire 2 verres d'eau (ou de lait). Provoquer des vomissements. Ne rien administrer par voie buccale à une personne inconsciente. Dans tous les cas, consulter un médecin immédiatement.

Emergency No. 613-996-6666 CANUITEC
PRODUCT OF CANADA

TIGER INDUSTRIES
6444 - 42 St. S.E. Calgary, AB T2C 2V1
1-800-661-2287